

 γ

QAE2164...
QAE2174...

- $\sqrt{\frac{q}{m}}$ $\frac{q}{m}$ E λ
- γ AC 24 V DC 13.5...35 V
- $\frac{q}{m}$ DC 0...10 V 4...20 mA

У ы 1 è лю ' .

- $8 \nabla k$
- 8
- 8

N

λ	τ	$\dot{\omega}$	$\sigma \quad \gamma$	$a \quad \lambda$
QAE2164.010	$\uparrow \quad \varrho \quad \uparrow$ G ½ A 1)	100 mm	AC 24 V $\pm$ 20 % / DC 13.5...35 V	DC 0...10 V
QAE2164.015	$\uparrow \quad \varrho \quad \uparrow$ G ½ A 1)	150 mm	AC 24 V $\pm$ 20 % / DC 13.5...35 V	DC 0...10 V
QAE2174.010	$\uparrow \quad \varrho \quad \uparrow$ G ½ A 1)	100 mm	DC 13.5...35 V	4...20 mA
QAE2174.015	$\uparrow \quad \varrho \quad \uparrow$ G ½ A 1)	150 mm	DC 13.5...35 V	4...20 mA


1) ý 2008.4.1

0

DC 0...10 V 4...20 mA

1

DC 0...10 V 4...20 mA



QAE2164.010

A large black rectangular redaction box covers the majority of the page, obscuring all content except for the header, footer, and a small portion of the right margin.

The figure area is predominantly a large black rectangle, indicating that the content has been redacted. Only a small portion of the bottom right corner is visible, showing a white background with some faint, illegible text.

1 (G 1/2) · 1/2

